Carduelis flammea, 21
pinus, 217
Carpodacus mexicanus, 74, 75, 187, 191, 194
Carter, Harry R., see Sealy, S. G.
Catharus fuscescens, 24–25, 157
guttatus, 51, 62, 63, 64–65, 157
ustulatus, 24, 156–167
Cepphus columba, 24, 106, 130, 136, 140, 141
Cerorhinca monocerata, 106, 130
Ceryle alcyon, 192
Chaetura pelagica, 210
Chat, Yellow-breasted, 217
Chen canagica, 9
rossii, 132
Chickadee, Mountain, 63, 64
Cistothorus palustris, 230
platensis, 3, 17
Clangula hyemalis, 130, 210
Coccyzus erythropthalmus, 16
Colaptes auratus, 171, 187, 192
Cole, Luke W., and Guy McCaskie, Report of the California Bird Records Committee: 2002 records, 2–31
Collared-Dove, African, 24
Eurasian, 2, 3, 14–15, 24
Collins, Charles T., Patricia H. Collins, and Nathan Mudry, Conspecific collision mortality in Caspian Terns, 210–211
Collins, Patricia H., see Collins, C. T.
Columba livia, 189
Columbina talpacoti, 3, 7, 15–16
Contopus pertinax, 16
sordidulus, 24, 45
virens, 24
Cooper, Daniel S., Book review: Birds of the Salton Sea: Status, Biogeography, and Ecology, 114–117
Coot, American, 48
Hawaiian, 48
Corcoran, Jeffery, see Seamans, M. E.
Cormorant, Brandt's, 130, 132, 134, 136, 138, 143
Double-crested, 93, 94, 96, 130, 136
Neotropic, 21, 93–96
Pelagic, 130, 138
Corvus brachyrhynchos, 39
corax, 39, 99
Coturnicops noveboracensis, 7, 12, 23
Cowbird, Bronzed, 72, 73, 75
Brown-headed, 32, 34, 36, 37, 38, 66, 156, 157, 159, 160, 164
Crake, Baillon's, 47
Little, 47
Ruddy-breasted, 48
Spotless, 48
Spotted, 47
Crane, Demoiselle, 2, 3, 26, 27
Sandhill, 26, 27
Whooping, 23
Crossbill, Red, 187
Crow, American, 39
Cuckoo, Black-billed, 3
Cyanocitta stelleri, 32, 39
Cygnus buccinator, 9
columbianus, 9
cygnus, 9
Cynanthus latirostris, 16

Dakin, Robin E., see Morlan, J.
Davis, Jeff N., Book review: Important Bird Areas of California, 178–180
DeCicco, Lucas H., see Erwin, C. A.
Dementyev, Maksim N., see Johnson, J. A.
Dendroica coronata, 63, 65, 193
dominica, 18
graciae, 18
palmarum, 186, 193, 194
pinus, 19
Deuel, Bruce, Featured photo: Preliminary notes on the identification of Cackling and Canada Geese, 181–183
Dickerman, Robert W., A review of the literature of *Accipiter striatus perobscurus*, with a report of specimens from California, Colorado, and New Mexico, 108–113
Dove, African Collared, 24
Eurasian Collared, 2, 3, 14–15, 24
Mourning, 189, 192
Oriental Turtle, 3
Ringed Turtle, 15, 24
Ruddy Ground, 3, 7, 15–16
Dowitcher, Long-billed, 79
Short-billed, 79
Duck, Falcated, 3
Long-tailed, 130, 210
Ruddy, 132
Wood, 171
Dunlin, 79, 83

Egret, Reddish, 11
Egretta rufescens, 11
tricolor, 11

Eider, Common, 219–221
King, 220
Steller's, 220
Ellison, Kevin, and Timothy Brush, Hooded Oriole nest failure associated with a novel nest site, 71–76
Emberiza elegans, 2, 3, 25
pusilla, 2, 3, 20
Empidonax alnorum, 24
oberholseri, 62, 63, 64, 67, 68
traillii, 179–209
wrightii, 217
Engilis, Andrew, Jr., see Pyle, P.
Erwin, Carol A., Kristen B. Rozell, and Lucas H. DeCicco, Update on the status and distribution of Wilson's Phalarope and Yellow-bellied Sapsucker in Alaska, 42–44
Eugenes fulgens, 3
Euphagus cyanocephalus, 26, 63, 66–67

Falco columbarius, 50, 112
peregrinus, 112, 188, 195
rusticolus, 50
sparverius, 90, 188
Falcon, Peregrine, 112, 188, 195
Faulkner, Doug, Glossy Ibis records for Colorado and neighboring states, 147–155
Finch, Black Rosy, 20–21
Gray-crowned Rosy, 20
House, 74, 75, 187, 191, 194
Flicker, Northern, 171, 187, 192
Floyd, Ted, Book review: Ridgway's *Ornithology of the Fortieth Parallel* [1877] Revisited: Updated with Contemporary Place Names and Species Nomenclature: Early Twentieth Century Ornithology in Malheur County Oregon, 226–227
Flycatcher, Alder, 24
Dusky, 62, 63, 64, 67, 68
Dusky-capped, 16, 24
Gray, 217
Gray-streaked, 51
Great Crested, 24
Willow, 179–209
Fregata magnificens, 215
Frigatebird, Magnificent, 215
Fulica alai, 48
americana, 48
Fulmar, Northern, 132
Fulmarus glacialis, 132

Gallinula chloropus, 48
García-Trejo, Erick A., see Rojas-S., O. R.
Gardali, Thomas, see White, J. D.
Garganey, 9
Gavia adamsii, 9, 21
immer, 21, 130, 137
pacifica, 130, 137
stellata, 132
Gibbons, Brian P., see Iliff, M. J.
Glaucidium gnoma, 175–177
Godwit, Hudsonian, 50
Golden-Plover, American, 7, 120–123
Pacific, 7, 120–123, 188
Goose, Cackling, 181–183
Canada, 181–183
Greater White-fronted, 188, 195
Emperor, 9
Ross's, 132
Goshawk, Northern, 112
Grackle, Common, 20, 26, 90
Great-tailed, 26, 90
Grebe, Clark's, 128, 129, 130, 132, 134, 138, 139, 140, 141, 142, 143
Eared, 128, 130, 135, 210
Horned, 128, 130, 135
Red-necked, 132
Western, 128, 129, 130, 132, 134, 138, 139, 140, 141, 142, 143
Greenshank, Common, 2, 3, 13
Ground-Dove, Ruddy, 3, 7, 15–16
Grus americana, 23
canadensis, 26, 27
Guillemot, Pigeon, 24, 106, 130, 136, 140, 141
Gull, Belcher's, 23–24
Bonaparte's, 51, 130, 135
California, 130, 132, 133, 135, 140
Glaucous-winged, 130, 135, 189
Heermann's, 130, 136
Herring, 128, 130, 135, 189
Lesser Black-backed, 13, 24
Little, 13
Mew, 130, 135
Ring-billed, 132, 189
Slaty-backed, 3, 24
Thayer's, 128, 129, 130, 135
Western, 130, 132, 134, 136, 137, 189
Gyrfalcon, 50

Haematopus bachmani, 13
palliatus, 13

Hawk, Common Black, 23
Ferruginous, 97
Harris's, 12, 22, 26
Red-shouldered, 100–104
Sharp-shinned, 108–113
Swainson's, 90, 97, 99
Zone-tailed, 23
Heath, Sacha K., see McCreedy, C.
Helmitheros vermivorus, 19
Henkel, Laird A., Seasonal abundance of marine birds in nearshore waters of Monterey Bay, California, 126–146
Henry, Robert W., III, see Barton, D. C.
Heron, Great Blue, 188
Tricolored, 11
Yellow-crowned Night, 3, 11–12
Hess, Paul, Book review: Ecology and Conservation of Birds of the Salton Sink: An Endangered Ecosystem, 224–225
Heteroscelus incanus, 188
Himantopus himatopus, 58, 59
mexicanus, 57, 58
novaezelandiae, 58
Hirundo rustica, 45
Holmes, Aaron L., and Russell Morgan, Western Kingbirds nesting in association with *Buteo* hawks, 97–99
Howell, Steve N. G., Book review: Breeding Birds of Napa County, California, an Illustrated Atlas of Nesting Birds, 55–56; Book review: The Birdwatcher's Companion to North American Birdlife, 117–119
Hummingbird, Anna's, 192, 216–217
Broad-billed, 16
Magnificent, 3
Ruby-throated, 3, 16
Xantus's, 216
Humple, Diana L., Book review: Ageing North American Landbirds by Molt Limits and Plumage Criteria: A Photographic Companion to the Identification Guide to North American Birds, Part I, 53–54
Hylocharis xantusii, 216
Hylocichla mustelina, 157, 161

Ibis, Glossy, 2, 3, 12, 23, 147–155
White-faced, 23, 148, 148, 149, 151, 152, 153
Icteria virens, 217
Icterus abeillei, 7
cucullatus, 71–76
gularis, 71
mesomelas, 71
pustulatus, 71
Ictinia mississippiensis, 23
Iliff, Marshall J., Brian L. Sullivan, Tony Leukering, and Brian P. Gibbons, First record of the Little Stint for Mexico, 77–87

Jaeger, Parasitic, 132
Jaramillo, Alvaro, Featured photo: Identification of adult Pacific and American Golden Plovers in their southbound migration, 120–123
Jay, Steller's, 32, 39
Johnson, James A., Steven M. Matsuoka, Daniel R. Ruthrauff, Michael A. Litzow, and Maksim N. Dementyev, Additions to the avifauna of St. Matthew Island, Bering Sea, 50–52
Junco, Dark-eyed, 63, 66, 67, 194
Guadalupe, 187, 190
Junco hyemalis, 63, 66, 67, 194
insularis, 187, 190

Kestrel, American, 90, 188
Kingbird, Thick-billed, 16
Western, 88–92, 97–99, 217
Kingfisher, Belted, 192
Kinglet, Ruby-crowned, 187, 192–193
Kirk, Andrew and Leah, Expansion of the breeding range of the Acorn Woodpecker east of the Sierra Nevada, California, 221–223
Kite, Mississippi, 23

Larus argentatus, 128, 130, 135, 189
belcheri, 23–24
californicus, 130, 132, 133, 135, 140
canus, 130, 135
delawarensis, 132, 189
fuscus, 13, 24
glaucescens, 130, 135, 189
heermanni, 130, 136
minutus, 13
occidentalis, 130, 132, 134, 136, 137, 189
philadelphia, 51, 130, 135
schistisagus, 3, 24
thayeri, 128, 129, 130, 135
LeBuhn, Gretchen, see Smith, J. I.
Leucosticte atrata, 20–21

tephrocotis, 20
Leukering, Tony, see Iliff, M. J.
Liebig-Fossas, Iván, see Rojas-S., O. R.
Limnodromus griseus, 79
scolopaceus, 79
Limosa haemastica, 50
Littlefield, Carroll D., Loosely colonial nesting by Western Kingbirds in northwestern Texas, 88–92
Lindquist, Kirsten E., see Barton, D. C.
Litzow, Michael A., see Johnson, J. A.
Loon, Common, 21, 130, 137
Pacific, 130, 137
Red-throated, 132
Yellow-billed, 9, 21
López de Aquino, Samuel, see Rojas-S., O. R.
Lophodytes cucullatus, 171
Loxia curvirostra, 187
Luna Mendoza, Luciana Magnolia, see Barton, D. C.

MacTague, Laine, Bat predation by the Acorn Woodpecker, 45–46
Magpie, Black-billed, 97, 99
Mallard, 63
Martin, Purple, 74
Matsuoka, Steven M., see Johnson, J. A.
McCaskie, Guy, and Charles E. Vaughn, The Common Eider Reaches California, 219–221; see Cole, L. W.
McCreedy, Chris, and Sacha K. Heath, Atypical Willow Flycatcher nesting sites in a recovering riparian corridor at Mono Lake, California, 197–209
McGrath, Todd, see San Miguel, M.
Meadowlark, Western, 194
Melanerpes formicivorus, 45–46, 217, 221–223
Melanitta fusca, 130, 134, 135, 140
perspicillata, 130, 132, 133, 134, 135, 140, 141, 143
Melospiza lincolnii, 63, 66
melodia, 63, 66
Merganser, Common, 50
Hooded, 171
Red-breasted, 132
Mergus merganser, 50
serrator, 132
Merlin, 50, 112
Micrathene whitneyi, 216
Mimus polyglottos, 164
Mockingbird, Northern, 164
Molothrus aeneus, 72, 73, 75
ater, 32, 34, 36, 37, 38, 66, 156, 157, 159, 160, 164
Moorhen, Common, 48
Morgan, Russell, see Holmes, A. L.
Morlan, Joseph, Robin E. Dakin, and Jim Rosso, Featured photo: Apparent hybrids between the American Avocet and Black-necked Stilt in California, 57–59
Morton, Martin L., and Maria E. Pereyra, Clutch sizes and nesting habits of birds at Tioga Pass, 62–70
Moore, Thomas G., see Pyle, P.
Motacilla cinerea, 25, 51
citreola, 25
flava, 25
Mudry, Nathan, see Collins, C. T.
Murre, Common, 106, 130, 136, 140, 141, 143
Thick-billed, 3, 13
Murrelet, Ancient, 105–107, 132
Craveri's, 106
Long-billed, 13, 24
Marbled, 13, 51, 106, 130, 135, 140, 141
Xantus's, 106
Muscicapa griseisticta, 51
Myadestes townsendi, 67, 176
Myiarchus crinitus, 24
tuberculifer, 16, 24

Navarro S., Adolfo G., see Rojas-S., O. R.
Night-Heron, Yellow-crowned, 3, 11–12
Nucifraga columbiana, 39, 65
Nutcracker, Clark's, 39, 65
Nuthatch, White-breasted, 67
Red-breasted, 187
Nyctanassa violacea, 3, 11–12

Oceanodroma leucorhoa, 192
Oporornis agilis, 19, 25
formosus, 19
philadelphia, 19–20, 25
tolmiei, 25
Oreortyx pictus, 176
Oreoscoptes montanus, 193, 195
Oriole, Altamira, 71
Black-backed, 7

Hooded, 71–76
Streak-backed, 71
Yellow-tailed, 71
Owl, Barred, 173–174
Burrowing, 192
Elf, 216
Northern Pygmy, 175–177
Northern Saw-whet, 176
Spotted, 173–174
Oxyura jamaicensis, 132
Oystercatcher, American, 13
Black, 13

Parabuteo unicinctus, 12, 22, 26
Passer domesticus, 74, 194
Passerina ciris, 3, 20, 26
Patagioenas fasciata, 215–216
Pelecanus occidentalis, 130, 136, 138, 143
rufescens, 2, 3, 26
Pelican, Brown, 130, 136, 138, 143
Pink-backed, 2, 3, 26
Pereyra, Maria E., see Morton, M. L.
Petrel, Leach's Storm, 192
Petrochelidon pyrrhonota, 45
Pewee, Eastern Wood, 24
Greater, 16
Western Wood, 24, 45
Phaethon rubricauda, 11
Phalacrocorax auritus, 93, 94, 96, 130, 136
brasilianus, 21, 93–96
pelagicus, 130, 138
penicillatus, 130, 132, 134, 136, 138, 143
Phalarope, Red, 130
Red-necked, 42, 130
Wilson's, 42
Phalaropus fulicarius, 132
lobatus, 42, 130
tricolor, 42
Phasianus colchicus, 12
Pheasant, Ring-necked, 12
Phoebastria albatrus, 10, 21
immutabilis, 21, 210
nigripes, 21
Phoebe, Say's, 192
Phylloscopus borealis, 2, 3, 17
Pica pica, 97, 99
Pigeon, Band-tailed, 215–216
Rock, 189
Pipilo maculatus, 187
Pipit, American, 25
Red-throated, 8, 25
Sprague's, 3, 18
Piranga olivacea, 20
Plectrophenax hyperboreus, 50
nivalis, 20, 22
Plegadis chihi, 23, 148, 148, 149, 151, 152, 153
falcinellus, 2, 3, 12, 23, 147–155
Plover, American Golden, 7, 120–123
Black-bellied, 121
Pacific Golden, 7, 120–123, 188
Pluvialis dominica, 7, 120–123
fulva, 7, 120–123
squatarola, 121
Podiceps auritus, 128, 130, 135
grisegena, 132
nigricollis, 128, 130, 135, 210
Polysticta stelleri, 220
Porzana carolina, 47–49
fusca, 48
palmeri, 48
parva, 47
porzana, 47
pusilla, 49
sandwichensis, 48
tabuensis, 48
Progne subis, 74
Ptychoramphus aleuticus, 106
Puebla-Olivares, Fernando, see Rojas-S., O. R.
Puffinus assimilis, 3, 212–213
auricularis, 212, 214
griseus, 129, 130, 132, 133, 134, 137, 139, 140, 142, 143
opisthomelas, 211, 212, 214
puffinus, 3, 211–214
Pyle, Peter, Andrew Engilis, Jr., and Thomas G. Moore, A specimen of the nominate subspecies of the Red-shouldered Hawk from California, 100–104
Pygmy-Owl, Northern, 175–177
Pyrrhuloxia, 20, 25–26

Quail, Mountain, 176
Quiscalus mexicanus, 26, 90
quiscula, 20, 26, 90

Rail, Hawaiian, 48
Laysan, 48
Yellow, 7, 12, 23
Raven, Common, 39, 99
Recurvirostra americana, 57, 58
avosetta, 58, 59
Redpoll, Common, 21

Regulus calendula, 187, 192–193
Rex, Angela, see Seamans, M. E.
Reynolds, Mark D., see Smith, J. I.
Richardson, T. Will, Expansion of the breeding range of the Bufflehead in California, 168–172
Robin, American, 62, 63, 65, 193
  Rufous-backed, 17
Rojas-Soto, Octavio R., Erick A. García-Trejo, Luis A. Sánchez-González, Samuel López de Aquino, Iván Liebig-Fossas, Fernando Puebla-Olivares, Adolfo G. Navarro S., and Brett W. Benz, Noteworthy avifaunal records from the Baja California peninsula, Mexico, 215–218
Rosso, Jim, see Morlan, J.
Rosy-Finch, Black, 20–21
  Gray-crowned Rosy, 20
Rozell, Kristen B., see Erwin, C. A.
Ruiz-Campos, Gorgonio, First specimen of the Neotropic Cormorant from the Baja California Peninsula, Mexico, 93–96
Ruthrauff, Daniel R., see Johnson, J. A.
Rynchops niger, 210

Salpinctes obsoletus, 63, 64, 187, 192
Sanderling, 23, 80
Sánchez-González, Luis A., see Rojas-S., O. R.
Sandpiper, Curlew, 13
  Least, 78, 79, 82, 83, 85
  Rock, 50
  Semipalmated, 77, 78, 79, 80, 85, 176
  Spotted, 63, 64, 82, 186, 188, 194
  Stilt, 79
  Upland, 13
  Western, 77, 78, 79, 80, 82, 83, 85
  White-rumped, 13, 23, 83
  Wood, 50
San Miguel, Mike, and Todd McGrath, First record of the Manx Shearwater for Mexico, 211–214
Sapsucker, Red-breasted, 46
  Yellow-bellied, 42, 43
Sayornis saya, 192
Scoter, Surf, 130, 132, 133, 134, 135, 140, 141, 143
  White-winged, 130, 134, 135, 140
Sealy, Spencer G., and Harry R. Carter, Additional notes on the southern limit of the Ancient Murrelet in Baja California, Mexico, 105–107
Seamans, Mark E., Jeffery Corcoran, and Angela Rex, Southernmost record of a Spotted Owl × Barred Owl hybrid in the Sierra Nevada, 173–174
Shearwater, Black-vented, 211, 212, 214
  Cory's, 3
  Little, 3, 212–213
  Manx, 3, 10–22, 211–214
  Newell's, 212
  Sooty, 129, 130, 132, 133, 134, 137, 139, 140, 142, 143
  Streaked, 3, 10, 21
  Townsend's, 212, 214
Sialia currucoides, 63, 64, 193, 195
Siskin, Pine, 217
Sitta canadensis, 187
  carolinensis, 67
Skimmer, Black, 210
Smith, Julia I., Mark D. Reynolds, and Gretchen LeBuhn, Warbling Vireo nesting ecology in the northern Sierra Nevada, 23–41
Solitaire, Townsend's, 67, 176
Somateria mollissima, 219–221
  spectabilis, 220
Sora, 47–49
Sparrow, Brewer's, 67
  Chipping, 67, 193
  House, 74, 194
  LeConte's, 20
  Lincoln's, 63, 66
  Song, 63, 66
  White-crowned, 62, 63, 66, 67, 68, 193
Sphyrapicus ruber, 46
  varius, 42, 43
Spizella breweri, 67
  passerina, 67, 193
Starling, European, 191
Stercorarius parasiticus, 132
Sterna caspia, 130, 138, 210–211
  elegans, 130, 136, 210
  forsteri, 130, 137, 210
  maxima, 210
  paradisaea, 42
Stilt, Black, 58
  Black-necked, 57, 58
  Black-winged, 58, 59

Stint, Little, 13, 23, 77–87
Long-toed, 85
Red-necked, 77, 78, 80, 85
Temminck's, 83, 85
Storm-Petrel, Leach's, 192
Streptopelia decaocto, 2, 3, 14–15
orientalis, 3
risoria, 15
Strix occidentalis, 173–174
varia, 173–174
Sturnella neglecta, 194
Sturnus vulgaris, 193
Sula dactylatra, 11, 21
granti, 3, 11, 21
leucogaster, 11
nebouxii, 21
sula, 11, 12
Sullivan, Brian L., see Iliff, M. J.
Swallow, Barn, 45
Cliff, 45
Swan, Trumpeter, 9
Tundra, 9
Whooper, 9
Swift, Chimney, 210
Common, 210
Synthliboramphus antiquus, 105–107, 132
craveri, 106
hypoleucus, 106

Tanager, Scarlet, 20
Tattler, Wandering, 188
Teal, Cinnamon, 132
Tern, Arctic, 42
Caspian, 130, 138, 210–211
Elegant, 130, 136, 210
Forster's, 130, 137, 210
Royal, 210
Thrasher, Curve-billed, 17–18
Sage, 193, 195
Thrush, Hermit, 51, 62, 63, 64–65, 157
Swainson's, 24, 156–167
Wood, 157, 161
Thryomanes bewickii, 187
Tringa flavipes, 50
glareola, 50
nebularia, 2, 3, 13
Tropicbird, Red-tailed, 11
Toxostoma curvirostre, 17–18
Towhee, Spotted, 187
Turdus migratorius, 62, 63, 65, 193
rufopalliatus, 17
Turnstone, Black, 189
Ruddy, 188–189
Turtle-Dove, Oriental, 3
Ringed, 15, 24
Tyrannus crassirostris, 16
verticalis, 88–92, 97–99, 217

Unitt, Philip, The southern limit in California of the Northern Pygmy-Owl, 175–177; Featured photo: Effect of plumage wear on the identification of female Red-winged and Tricolored Blackbirds, 228–230
Uria aalge, 106, 130, 136, 140, 141, 143
lomvia, 3, 13
Uyehara, Kimberly J., First record of the Sora in the state of Hawaii, 47–49

Vaughn, Charles E., see McCaskie, G.
Veery, 24–25, 157
Vermivora chrysoptera, 18
pinus, 18
ruficapilla, 217

Vireo, Bell's, 32
Black-capped, 32
Gray, 32
Warbling, 24, 32–41
White-eyed, 16
Yellow-green, 17, 24
Yellow-throated, 16–17
Vireo atricapillus, 32
bellii, 32
flavifrons, 16–17
flavoviridis, 17, 24
gilvus, 24, 32–41
griseus, 16
vicinior, 32

Wagtail, Citrine, 25
Gray, 25, 51
Yellow, 25
Warbler, Arctic, 2, 3, 17
Blue-winged, 18
Connecticut, 19, 25
Golden-winged, 18
Grace's, 18
Kentucky, 19
MacGillivray's, 25
Mourning, 19–20, 25
Nashville, 217

Palm, 186, 193, 194
Pine, 19
Red-faced, 25
Wilson's, 63, 65, 157, 158, 159, 160, 161, 162, 163
Worm-eating, 19
Yellow-rumped, 63, 65, 193
Yellow-throated, 18
Waxwing, Cedar, 164
White, Jennifer D., and Thomas Gardali, Low incidence of cowbird parasitism on Swainson's Thrushes in central coastal California, 156–167
Wilsonia pusilla, 63, 65, 157, 158, 159, 160, 161, 162, 163
Woodpecker, Acorn, 45–46, 217, 221–223
Wood-Pewee, Eastern, 24
Western, 24, 45
Wren, Bewick's, 187
Marsh, 230
Rock, 63, 64, 187, 192
Sedge, 3, 17

Yellowlegs, Lesser, 50

Zenaida macroura, 189, 192
Zonotrichia leucophrys, 62, 63, 66, 67, 68, 193

Pileated Woodpecker

Sketch by Narca Moore-Craig